

A problem has been detected and windows has been shut down to prevent damage to your computer.

The problem seems to be caused by the following file: SPCMDCON.SYS

PAGE\_FAULT\_IN\_NONPAGED\_AREA

If this is the first time you've seen this Stop error screen, restart your computer. If this screen appears again, follow these steps:

Check to make sure any new hardware or software is properly installed. If this is a new installation, ask your hardware or software manufacturer for any windows updates you might need.

If problems continue, disable or remove any newly installed hardware or software. Disable BIOS memory options such as caching or shadowing. If you need to use Safe Mode to remove or disable components, restart your computer, press F8 to select Advanced Startup Options, and then select Safe Mode.

Technical information:

\*\*\* STOP: 0x00000050 (0xFD3094C2,0x00000001,0xFBFE7617,0x00000000)

\*\*\* SPCMDCON.SYS - Address FBFE7617 base at FBFE5000, Datestamp 3d6dd67c

Call Trace:

[<c041b7f2>] iounmap+0x9e/0xc8  
[<c053480d>] agp\_generic\_free\_gatt\_table+0x2e/0x9e  
[<c0533991>] agp\_add\_bridge+0x1a8/0x26f  
[<c05439eb>] \_\_driver\_attach+0x0/0x6b  
[<c04e6bf4>] pci\_device\_probe+0x36/0x57  
[<c0543945>] driver\_probe\_device+0x42/0x8b  
[<c0543a2f>] \_\_driver\_attach+0x44/0x6b  
[<c054344a>] bus\_for\_each\_dev+0x37/0x59  
[<c05438af>] driver\_attach+0x11/0x13  
[<c05439eb>] \_\_driver\_attach+0x0/0x6b  
[<c0543152>] bus\_add\_driver+0x64/0xfd  
[<c04e6d22>] \_\_pci\_register\_driver+0x47/0x63  
[<c040044d>] init+0x17d/0x2f7  
[<c0403dee>] ret\_from\_fork+0x6/0x1c  
[<c04002d0>] init+0x0/0x2f7  
[<c04002d0>] init+0x0/0x2f7  
[<c0404c3b>] kernel\_thread\_helper+0x7/0x10

=====  
Code: 78 29 8b 44 24 04 29 d0 8b 54 24 10 c1 f8 05 c1 e0 0c 09 f8 89 02 8b 43 0c  
85 c0 75 08 0f 0b 9c 00 77 c8 61 c0 48 89 43 0c eb 08 <0f> 0b 9f 00 77 c8 61 c0  
8b 03 f6 c4 04 0f 85 a5 00 00 00 a1 0c

EIP: [<c041bd49>] change\_page\_attr+0x19a/0x275 SS:ESP 0068:c14f7ec0

<0>Kernel panic - not syncing: Fatal exception

# Revealing Errors



“Revealing errors that reveal technologies to learn how they shape and control our lives.”

# Free Software Defined

The freedom to...

- ... use software for any purpose.
- ... study and modify.
- ... distribute copies to others.
- ... collaborate and share your changes.

**Free Software is really about...**

**power**

**Free Software is really about...**

**control**

**Free Software is really about...**

**autonomy**

A good tool is an invisible tool. By invisible, I mean that the tool does not intrude on your consciousness; you focus on the task, not the tool. Eyeglasses are a good tool -- you look at the world, not the eyeglasses....

**Marc Wiesner, Xerox PARC**





**benjamin mako hill :: revealing errors :: penguicon 6.0**



benjamin mako hill :: revealing errors :: penguin 6.0



benjamin mako hill :: revealing errors :: penguinicon 6.0



**benjamin mako hill :: revealing errors :: penguinicon 6.0**



benjamin mako hill :: revealing errors :: penguinicon 6.0

meet **of** after dinner

it's **ponying** at home

i found my **some** phone

Within the GEIT BG the Cupertino with our Italian comrades proved to be very fruitful.

**NATO Stabilisation Force**  
**"Atlas raises the world"**  
**14 May 2003**

inbox  
Outbox  
Sent Items  
Deleted Items  
Drafts  
Received  
To Do  
Sessions  
Subscribed  
Junk  
Mac OS X  
Folder  
Alerts

Subject: Spelling test

*cooperation*

**Spelling** [X]

Not In Dictionary: cooperation

Change To: Cupertino

Suggestions:

- Cupertino
- co-operation

Ignore Ignore All


Change Change All

Add Suggest

Options... Undo Last Cancel







# Search Results

About 33840 results found for 'apple'.

apple

▼ Products

10 results of about 5660

## Apple - Apple TV

Change the way you look at TV. Apple TV wirelessly syncs the iTunes library on your computer to your widescreen TV.

## Apple - Pro Applications - Training

The Apple Pro Training Series is Apple's official curriculum. Offered as a self-paced learning tool and used in all instructor-led courses.

## Apple - Final Cut Studio 2 - Resources - Apple Certified Training

... Resources. **Apple** Certified Training. The **Apple** Pro Training Series is **Apple's** official curriculum. ... Direct from **Apple**, 24 hours a day. Or call 1-800-MY-APPLE. ...

# The Gentleman's Magazine



benjamin mako hill :: revealing errors :: penguincon 6.0

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)

Google™

5 degrees c in degrees f

Search

[Advanced Search](#)  
[Preferences](#)

[Web](#) [Video](#) Results **1 - 10** of about **36,000,000** for **5 degrees c in degrees f**. (0.07 seconds)

Try your search on [Yahoo](#), [Ask](#), [AllTheWeb](#), [Live](#), [Lycos](#), [Technorati](#), [Feedster](#), [Wikipedia](#), [Bloglines](#), [Altavista](#), [A9](#)



**5 degrees Celsius = 41 degrees Fahrenheit**

[More about calculator.](#)

**DIEBOLD**

## Server Error in '/PNCBank' Application.

### Object reference not set to an instance of an object.

**Description:** An unhandled exception occurred during the execution of the current web request. Please review the stack trace for more information about the error and where it originated in the code.

**Exception Details:** System.NullReferenceException: Object reference not set to an instance of an object.

#### Source Error:

The source code that generated this unhandled exception can only be shown when compiled in debug mode. To enable this, please follow one of the below steps, then request the URL:

1. Add a "Debug=true" directive at the top of the file that generated the error. Example:

```
<% Page Language="C#" Debug="true" %>
```

or:

- 2) Add the following section to the configuration file of your application:

```
<configuration>  
  <system.web>  
    <compilation debug="true"/>  
  </system.web>  
</configuration>
```

Note that this second technique will cause all files within a given application to be compiled in debug mode. The first technique will cause only that particular file to be compiled in debug mode.

**Important:** Running applications in debug mode does incur a memory/performance overhead. You should make sure that an application has debugging disabled before deploying into production.

```
$monitor = array( '42107457' => 1, '9359890' => 1);  
// Put baddies (hotties?) in here
```

```
/* Monitoring these people's profile viewage.
```

```
Stored in central db on profile_views.
```

```
Helpful for law enforcement to monitor stalkers and stalkees. */
```

Software Failure. Press left mouse button to continue.

Guru Meditation #00000025.65045338



Software Failure. Press left mouse button to continue.

Guru Meditation #00000025.65045338

**Revealing Errors Blog**  
<http://revealingerrors.com>